AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listing, of claims in the present application.

LISTING OF CLAIMS:

Please amend the claims as follows:

- 1. (Original) A floor-mopping device, comprising:
 - a handle having a longitudinal axis;
- a supporting body to which the handle is connected, the supporting body being rotatable about the longitudinal axis of the handle;
- at least one flexible mopping element suspended from the supporting body in pendulum fashion; and

means for suppressing canting of the supporting body relative to the handle.

- 2. (Currently Amended) The floor-mopping device as recited in claim 1, wherein the means for supressing suppressing canting of the supporting body comprise a one of a columnar or and conical guideway.
- 3. (Previously Presented) The floor-mopping device as recited in claim 1, wherein the supporting body and the handle are connected by a swivel joint.
- 4. (Currently Amended) The floor-mopping device as recited in claim 1, <u>further comprising:</u>
 a counterstop;; and
- <u>a handlestop</u>, wherein the handle has a turning range that is limited in at least one direction by a <u>the</u> handle stop which can be forced into engagement with a <u>the</u> counterstop located on the supporting body.
- 5. (Currently Amended) The floor-mopping device as recited in claim 2, <u>further comprising:</u> a counterstop; and

<u>a handlestop</u>, wherein the handle has a turning range that is limited in at least one direction by $\frac{1}{2}$ the handle stop which can be forced into engagement with $\frac{1}{2}$ the counterstop located on the supporting body.

6. (Currently Amended) The floor-mopping device as recited in claim 3, <u>further comprising:</u>
a counterstop; and

a handlestop, wherein the handle has a turning range that is limited in at least one direction by a the handle stop which can be forced into engagement with a the counterstop located on the supporting body.

- 7. (Currently Amended) The floor-mopping device as recited in claim 6, wherein at least one of the stop and/or and the counterstop are adjustable in the circumferential direction.
- 8. (Currently Amended) The floor-mopping device as recited in claim 7, wherein at least one of the stop and the counterstop are disengageable or removable.
- 9. (Currently Amended) The floor-mopping device as recited in claim 3, <u>further comprising:</u>
 <u>a journal</u>, wherein the swivel joint comprises a sleeve, affixed to <u>one of</u> the handle or
 <u>and</u> the supporting body, which surrounds <u>one of</u> a <u>the</u> journal of the supporting body or and of the handle in at least one partial area.
- 10. (Currently Amended) The floor-mopping device as recited in 6, <u>further comprising:</u>
 <u>a journal</u>, wherein the swivel joint comprises a sleeve, affixed to <u>one of</u> the handle or <u>and</u> the supporting body, which surrounds <u>one of a the journal of the supporting body or and</u> of the handle in at least one partial area.
- 11. (Original) The floor-mopping device as recited in claim 10, wherein the journal is hollow.
- 12. Withdrawn from Consideration by March 21, 2003 Office Action.

- 13. Withdrawn from Consideration by March 21, 2003 Office Action.
- 14. (Currently Amended)A floor-mopping device, comprising:

a handle having a longitudinal axis;

a supporting body to which the handle is connected, the supporting body being rotatable about the longitudinal axis of the handle;

at least one flexible mopping element suspended from the supporting body in pendulum fashion; and

an arrangement for suppressing canting of the supporting body relative to the handle wherein the supporting body and the handle are connected by a swivel joint and The floor-mopping device as recited in claim 3, wherein the swivel joint forms a component of the handle, and is detachably secured to the supporting body.

- 15. (Original) The floor-mopping device as recited in claim 10, wherein the swivel joint forms a component of the supporting body, and is detachably secured to the handle.
- 16. Withdrawn from Consideration by March 21, 2003 Office Action.
- 17. Withdrawn from Consideration by March 21, 2003 Office Action.
 - 18. (New) A floor mop comprising:

a handle connected to a supporting body that has at least one flexible wiping element hanging from the supporting body in a pendulous manner, wherein the supporting body is able to be rotated about an axis which extends in parallel to the longitudinal direction of the handle, and

an arrangement for suppressing a tilting of the supporting body with respect to the handle, the arrangement being formed by one of a columnar or conical guiding device.